

UDC

8 and NACK

☐ HTML

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current	Ref	Inventor
1	□	□	US 7197021 B2	20070327	60	Apparatus and method for transmitting/receiving uplink t	370/335			Seo: Myeong-Sook et al.
2	□	□	US 7054633 B2	20060530	37	Apparatus and method for transmitting and receiving upl	455/439	370/331; 370/338;		Seo: Myeong-Sook et al.
3	□	□	US 7035284 B2	20060425	29	Method and apparatus for reducing inter-channel interfe	370/470	370/444; 370/471		Willenegger: Serge et al.
4	□	□	US 7013143 B2	20060314	18	HARQ ACK/NAK coding for a communication device durin	455/450	370/335; 370/341;		Love: Robert T. et al.

- Ⓢ Pending

Active

1-211:

- L2: (26580) 1 and CDMA
- L3: (3464) 2 and ((soft or non\$1soft) near3 (handover or handoff))
- L4: (1058) 3 and overlap\$4
- L5: (431) 4 and node
- L6: (272) 5 and uplink
- L7: (52) 6 and "transmission time interval"
- L8: (9) 6 and "transmission time interval"
- L9: (0) 8 and ((non\$1soft) near3 (handover or handoff))
- L10: (4) 8 and NACK
- L11: (58) 6 and (transmission near3 "time interval")
- L12: (3) 11 and ((non\$1soft) near3 (handover or handoff))
- L13: (2) 11 and ((non\$1soft) near3 (handover or handoff)).cml.

1-3 Failed

 Saved

 Favorites

Tagged (6)

UDC


--- Queue

Trash

1000

[illegible]

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor
1	□	□	US 20050201337 A1	20050915	16	System and method for retransmitting uplink data in a	370/335	370/342		Heo, Youn-Hyoung et al.
2	□	□	US 20040160925 A1	20040819	16	System and method for retransmitting uplink data in a	370/335			Heo, Youn-Hyoung et al.



- Pending

- Active

- L1: (167181) "455"/\$.CCLS. OR "370"/\$.CCLS.
- L2: (26580) 1 and CDMA
- L3: (3464) 2 and ((soft or non\$soft) near3 (handover or handoff))
- L4: (1058) 3 and overlap\$4
- L5: (431) 4 and node
- L6: (272) 5 and uplink
- L7: (52) 6 and "transmission time interval"
- L8: (9) 6 and "transmission time interval"
- L9: (0) 8 and ((non\$soft) near3 (handover or handoff))
- L10: (4) 8 and NACK
- L11: (58) 6 and (transmission near3 "time interval")
- L12: (3) 11 and ((non\$soft) near3 (handover or handoff))
- L13: (2) 11 and ((non\$soft) near3 (handover or handoff)).cm.
- L14: (63) 5 and (transmission near3 "time interval")
- L15: (24) 14 and NACK
- L16: (20) 14 and NACK
- L17: (2) 16 and "second transmission time interval"

- Failed

- Saved

- Favorites

United States
Patent Application Publication
Pub. No.: US 2004/0160925 A1
Pub. Date: Aug. 19, 2004

(54) SYSTEM AND METHOD FOR RETRANSMITTING UPLINK DATA IN A CDMA SYSTEM

(57) Abstract: A method and system for retransmitting uplink data in a CDMA system. The method includes receiving a first transmission of uplink data from a mobile station, determining whether the first transmission was successful, and if not successful, retransmitting the uplink data. The system includes a base station and a mobile station.

(51) Int. Cl. H04B 1/16
(52) U.S. Cl. 455/420

(57) Claims: 1. A method for retransmitting uplink data in a CDMA system, comprising: receiving a first transmission of uplink data from a mobile station; determining whether the first transmission was successful; and if not successful, retransmitting the uplink data.

(57) Description: A method and system for retransmitting uplink data in a CDMA system. The method includes receiving a first transmission of uplink data from a mobile station, determining whether the first transmission was successful, and if not successful, retransmitting the uplink data. The system includes a base station and a mobile station.

BRS form IS&R form Image Text HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor
1	<input type="checkbox"/>	<input type="checkbox"/>	US 20050201337 A1	20050915	16	System and method for retransmitting uplink data in a	370/335	370/342		Heo, Youn-Hyoung et al.
2	<input type="checkbox"/>	<input type="checkbox"/>	US 20040160925 A1	20040819	16	System and method for retransmitting uplink data in a	370/335			Heo, Youn-Hyoung et al.

Hits Details HTML

Ready

NUM